

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 5 | "7046666" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 16:59 |
| S2 | 2 | "20050160174" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 17:00 |
| S3 | 4 | "7046666" and (ip adj address\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 17:11 |
| S4 | 117 | independent adj2 ip adj address\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 17:19 |
| S5 | 31 | S4 and (370/ ??? .ocls.) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 17:19 |
| S6 | 41 | independent adj2 ip adj address\$1 and mac | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 18:28 |
| S7 | 1 | independent adj2 ip adj address\$1 with mac | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 18:28 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S8 | 5 | independent adj2 ip adj address\$1 same mac | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/07 18:29 |
| S9 | 4926 | detect\$4 with network adj connect\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 21:49 |
| S10 | 455 | S9 and (nic or (network adj interface adj card\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 21:57 |
| S11 | 53 | S9 and (nic or (network adj interface adj card\$1)) and (status adj2 connect \$4) and (mac adj address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 21:58 |
| S12 | 23 | (detect\$4 adj3 connect \$4) with lan and (mac adj address with request\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:06 |
| S13 | 62 | (destination and source) with (mac adj address\$3) same (request or reply) adj frame\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:17 |
| S14 | 11 | S13 and crc | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:17 |
| S15 | 14 | "5974452" and ip | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:24 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S16 | 1 | "20040037308" and ip | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:27 |
| S17 | 894 | "without" adj2 ip adj address\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:28 |
| S18 | 204 | S17 and lan and (mac adj address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:29 |
| S19 | 27 | S18 and detect\$4 adj3 connect\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:29 |
| S20 | 32 | arp adj probe\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:42 |
| S21 | 2 | arp adj probe\$1 with mac | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:43 |
| S22 | 15 | arp adj probe\$1 and mac | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:43 |
| S23 | 814 | independent with ip adj address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:46 |

| | | | | | | |
|-----|--------|--|---|----|----|---------------------|
| S24 | 814 | independent with (ip adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:46 |
| S25 | 115 | S24 and lan and (mac adj address\$2) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:46 |
| S26 | 30 | S25 and ((connect\$4 adj3 status) or (detect \$4 with connect\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 22:47 |
| S27 | 267806 | (link adj layer) or ("layer 2") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:03 |
| S28 | 221 | S27 same (request\$4 or reply\$3) with (mac adj address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:04 |
| S29 | 169 | S28 and lan | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:04 |
| S30 | 8 | "6538997" and response\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:25 |
| S31 | 1 | "7010595" and snmp | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:35 |

| | | | | | | |
|-----|------|---|---|----|----|---------------------|
| S32 | 1 | "7010595" and source with response\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:49 |
| S33 | 2 | "7010595" and tim\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:52 |
| S34 | 14 | snmp adj quer\$4 with (mac adj address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/23 23:53 |
| S35 | 753 | (trace with request\$4) and lan | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:11 |
| S36 | 27 | (trace adj2 request\$4) and lan and (trace adj2 (reply or response \$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:11 |
| S37 | 18 | (trace adj2 request\$4) and (mac) and (trace adj2 (reply or response \$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:20 |
| S38 | 1772 | ("layer 2" or (link adj layer)) with trac\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:23 |
| S39 | 90 | S38 and lan | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:24 |

| | | | | | | |
|-----|-----|--|---|----|-----|---------------------|
| S40 | 35 | S39 and mac adj address\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:24 |
| S41 | 4 | "6898183" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:26 |
| S42 | 7 | "6944130" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:27 |
| S43 | 9 | ("6538997").URPN. | USPAT | OR | OFF | 2008/11/24 00:30 |
| S44 | 34 | (tracing or trace) adj2 ((request\$3 or query \$3) and (reply or response\$1)) | USPAT | OR | OFF | 2008/11/24 00:35 |
| S45 | 148 | (tracing or trace) adj (reply or response\$1) | USPAT | OR | OFF | 2008/11/24 00:50 |
| S46 | 4 | S45 and mac | USPAT | OR | OFF | 2008/11/24 00:50 |
| S47 | 31 | ("layer 2" or (link adj layer)) with (request\$3 and response\$1) same (mac adj address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 00:56 |
| S48 | 376 | trace adj response | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 01:01 |
| S49 | 1 | trace adj response adj node\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 01:01 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S50 | 7 | trace adj response with node\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 01:01 |
| S51 | 9 | "6538997" and source | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 01:05 |
| S52 | 9 | "6538997" and source \$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 01:05 |
| S53 | 8 | "6538997" and request \$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 01:33 |
| S54 | 0 | "7010595" and destination | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:07 |
| S55 | 0 | "7010595" and target | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:07 |
| S56 | 3929 | ping\$4 and response and predetermined adj time\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:18 |
| S57 | 245 | ping\$4 and response and predetermined adj time\$1 and mac adj address\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:18 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S58 | 28 | ping\$4 and response with predetermined adj time\$1 and mac adj address\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:18 |
| S59 | 15 | echo adj (reply and request) adj message and predetermined adj time | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:21 |
| S60 | 48 | "5408618" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:29 |
| S61 | 46 | ping\$4 with response with predetermined adj time\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:32 |
| S62 | 0 | structure with ismp with ping | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:38 |
| S63 | 12 | structure with icmp with ping | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:38 |
| S64 | 10 | structure with icmp adj packet\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/24 02:41 |

11/24/2008 3:52:02 AM

C:\Documents and Settings\cgray\My Documents\EAST\Workspaces\10630789.wsp..wsp